

Gross, Barbara

From: Nieto, Edward@DTSC <Edward.Nieto@dtsc.ca.gov>
Sent: Monday, September 15, 2014 6:56 PM
To: Salyer, Kathleen;Gross, Barbara
Cc: Ruttan, Peter@DTSC;Rizgar.Ghazi_dtsc.ca.gov
Subject: draft Interim Measure Workplan Public Notice for Exide
Attachments: FINALPublicNoticeSpanishrev091514mp.pdf; FINALPublicNoticeEnglishREV091514mp.pdf; 2014-9-16_Exide_IMWP_Final Public Mailout.pdf

Kathleen/ Barbara:

This is a followup to my voice message or our conversation today. DTSC will have a public comment period on the draft Interim Measure Workplan starting tomorrow and ending on October 20, 2014. This is for remediation of soils with elevated lead levels at residences. In the workplan the details of the criteria are provided. Overall this follows the actions taken at the two homes – access agreement, pre meeting with owners, landscape inventories, relocation, per diem, water usage, excavation, soil characterization, air sampling and restoration of yards

Attached are the public outreach documents. The attached are being mailed to some 2700 addresses. The public notices will be published in the LA times and La Opinion newspapers. The Interim Measures Workplan as well as the CEQA associated documents will be available on our website tomorrow -

<http://www.dtsc.ca.gov/HazardousWaste/Projects/UpdateExideSuspension.cfm> .

Ed Nieto
(916) 251-6397 (cell)

Gross, Barbara

From: Nieto, Edward@DTSC <Edward.Nieto@dtsc.ca.gov>
Sent: Thursday, July 17, 2014 11:10 AM
To: Zabaneh, Mahfouz; Gross, Barbara
Cc: Veile, Bill@DTSC; Ghazi, Rizgar@DTSC
Subject: EXIDE: e-copies of the extension request, supplemental information letter, DTSC extension, third NOD
Attachments: Supplemental Info to Request for Extension Letter 7-11-14.pdf; 2014-07-07_ Exide Request for Extension.pdf; 2014-7-16 Exide Extension.pdf; 2014-06-17_ Exide_3rd_NOD_.pdf

Mike/Barbara:

This is to update you on the status of the Exide's 3rd Notice of Deficiencies. Yesterday DTSC approved the extension (2014-7-16 Exide Extension .pdf) that provides Exide ample time to provide a complete application that describe all the activities, including operational units, closure plans and associated cost for closure. This information is expected to be provided to the general public this afternoon.

Also attached is the 3 other documents related to the NOD and the extension.

If you have any questions , please contact either myself or Bill Veile at (916) 255-3605.

Ed Nieto

(916) 251-6397 (cell)

From: Veile, Bill@DTSC
Sent: Thursday, July 17, 2014 10:57 AM
To: Nieto, Edward@DTSC
Subject: FW: e-copies of the extension request, supplemental information letter, DTSC extension, third NOD

William P. Veile
Hazardous Substances Engineer, P.E. C46306
Office of Permitting
8800 Cal Center Drive
Sacramento, CA 95826
(916) 255-3605
(916) 255-3596 (fax)

Gross, Barbara

From: Nieto, Edward@DTSC <Edward.Nieto@dtsc.ca.gov>
Sent: Tuesday, June 17, 2014 1:11 PM
To: Gross, Barbara
Cc: Veile, Bill@DTSC; Ghazi, Rizgar@DTSC; Zabaneh, Mahfouz
Subject: Exide Lead Recycling Facility , Vernon, CA NOD
Attachments: 2014-06-17_Exide 3rd NOD complete.pdf

Hello Barbara,

This is a followup to my voicemail on Exide Notice of Deficiency (NOD) that DTSC sent today. The NOD gives Exide 30 days to correct deficiencies in their permit application.

Attached is a copy of the NOD for your information. If you have any questions, please feel free to contact me at (916) 251-6397(cell) or Bill Veile at (916) 255-3605.

Ed Nieto
Office of Permitting